

Point Of View: a generational discussion

(Some Topics, Some Gay Men—
What could go wrong?)

A Presentation to the NJHPG
Gay Men's Awareness Day
September 27, 2016


Today's Objectives

- Explore and examine the generational gap among Gay Men working in HIV in 2016
- Provide a discussion of Topical Issues affecting Gay, bisexual, and other men who have sex with men (MSM)
- Investigate HIV Prevention Strategies past, present and to come
- Examine generational barriers to safer sex

First Date Then vs. First Date Now

**'Tis the Season for (Online)
Dating: National Survey of Gay
Men Finds Dating Apps Replace
Bars as Best Place to Find Guys**








First U.S. Public Health Official Endorses “Negligible Risk” When Undetectable

Demetre Daskalakis, MD, is the first public health official in the United States to sign a consensus statement concluding that there is “negligible risk” of HIV transmission when a person living with the virus is taking HIV meds and has maintained a consistently undetectable viral load for at least six months. Daskalakis is the assistant commissioner for the Bureau of HIV/AIDS Prevention and Control at New York City’s Department of Health and Mental Hygiene.

“People living with HIV on [antiretroviral therapy] with an undetectable viral load in their blood have a negligible risk of sexual transmission of HIV. Depending on the drugs employed it may take as long as six months for the viral load to become undetectable. ”



Bruce Richman cofounded the Prevention Access Campaign.

Medical Distrust: The Real Reason for PrEP Misgivings in the Black Community




Distrust of the medical system has been a barrier to care for African Americans since long before the AIDS epidemic started. There is the lingering legacy of mistreatment by researchers—particularly during the Tuskegee Syphilis Experiment—which left black people in the US wary of medical programs and clinical trials.

There are lots of barriers to PrEP uptake among black MSM, but beyond the issues of risk perception, healthcare access, provider and consumer PrEP knowledge, PrEP stigma, and homophobia, the elephant in the room is still the history of medical distrust in the African-American community.

TOPS OR BOTTOMS --


Does it even matter anymore?



COJELO CON CUIDADO

TAKE IT SAFELY

FOR ANY INFORMATION CALL THE
PUBLIC RELATIONS INFORMATION LINE AT: **GMHC** HOTLINE 212-807-6655/TDD 212-645-7470 (for hearing impaired)



Oral Sex Is Safer Sex

Oral sex is much less risky for HIV than anal sex. Here's what you can do to make it even safer:

1. Don't let anyone cum in your mouth.
2. Avoid brushing or flossing before oral sex.
3. If you have cuts, sores, or bleeding gums, wait till they heal or use a condom.

(Unprotected anal sex is responsible for almost all HIV transmission between men. Use condoms every time you fuck.)

INFORMATION HOTLINE
863-AIDS
ENGLISH SPANISH FILIPINO

ONE ON ONE
PEER SUPPORT
864-0968

AIDS FOUNDATION
GAMES PROJECT



Q & A